RSQU RV

Know Before You Go - 10-Minute RV Check

A quick departure reminder. Use your exact RV and towing manuals. Take longer when needed.

EMERGENCY: Gas odor, propane/CO alarm, smoke, arcing or suspected CO illness: leave the RV/area and call 911 from safety. Do not investigate or wait for RSQU. Avoid switches and phones near a suspected gas leak.

Start safely: Park securely, brake set. Stay at ground level and clear of traffic/moving parts. No climbing, crawling underneath, panel removal or touching damaged parts. Follow the OEM departure sequence.

Date: _____ **RV:** _____ **Checked by:** _____

0-2 minutes | Tires and wheels

Confirm cold pressures match the RV placard/manual and actual setup guidance. Look for low tires, bulges, cuts or missing wheel hardware. Looks alone cannot confirm pressure. Missing checks or damage? Delay departure and resolve.

☐ Checked - no concern ☐ Concern found ☐ Not checked / unsure ☐ N/A

2-4 minutes | Water, tanks and electrical

Verify hoses and shore cord are disconnected/stowed per manual; caps closed and no leaks. Separate potable and sewer gear. Check pump, water-heater and electrical travel settings. Stop for damaged cords, burning odors or repeated trips.

☐ Checked - no concern ☐ Concern found ☐ Not checked / unsure ☐ N/A

4-6 minutes | Leveling systems, slides and awnings

Verify jacks, slides, steps and awnings are physically stowed and travel locks secured. Indicators alone are not enough. Follow OEM hitching/support order; never remove supports or chocks early. Uncertain position or hydraulic leak? Do not move.

☐ Checked - no concern ☐ Concern found ☐ Not checked / unsure ☐ N/A

6-8 minutes | Propane, alarms and interior

Set propane/appliances for travel per manual and route/fueling rules. Check smoke/CO/propane alarm status and scheduled tests. Secure cargo, cabinets and refrigerator; clear exits. Use approved passenger seats/restraints. Never bypass safeties.

☐ Checked - no concern ☐ Concern found ☐ Not checked / unsure ☐ N/A

8-10 minutes | Hitch, lights and final circle

Complete OEM coupling, chains, breakaway and brake checks. Verify running/brake/turn lights. Check mirrors, doors, latches and travel height. Clear the departure path. Remove chocks only at the correct OEM step. Record concerns before travel.

☐ Checked - no concern ☐ Concern found ☐ Not checked / unsure ☐ N/A

Do not rush: Delay departure for any travel-critical concern or unfinished required check. N/A must match your RV. Keep do-not-use restrictions. This reminder does not replace full pre-trip checks or certify roadworthiness.

RSQU RV

Know when to stop and call

Keep this page with your RV manuals. RSQU service is not an emergency response service.

Leave the area and call 911

For fire/smoke, a CO alarm or suspected CO exposure, move everyone outside to fresh air and call 911. Stay out until emergency responders allow re-entry. With suspected propane leakage, avoid flames, electrical switches and other ignition sources; call from well away. Do not return until the appropriate emergency responder or qualified professional says it is safe.

Stop using the affected equipment and arrange qualified service

For a damaged cord, repeated breaker trips, hot/burned connections, failed safety alarm, tire damage, unstable support or a new leak: keep clear and do not continue operating the affected system. Do not repeatedly reset breakers or bypass alarms/safety devices. If there is immediate danger, leave and call 911. Ask RSQU or the appropriate qualified provider what to do next.

What a quick observation can and cannot tell you

Tires: Appearance does not prove correct pressure. Arrange cold-pressure checks using the RV manufacturer's placard/manual and tire-professional guidance for the actual setup. A sidewall maximum is not a universal target. Do not move an RV on a damaged or visibly low tire.

Alarms and exhaust: CO cannot be reliably detected by smell. A quiet alarm does not prove an appliance is safe. Test and replace alarms on the manufacturer's schedule. Keep exhaust/vents unobstructed; do not operate a generator with suspected exhaust entry.

Maintenance: Follow model-specific service intervals and arrange a thorough trained-technician inspection at least annually. The short walk-around does not replace leak testing, electrical testing, brake/towing checks or other required service.

Before RSQU leaves: ask, point and explain back

- Which issue did you find, and what evidence supports it?
- Show me exactly what I must not use. Who can clear that restriction?
- What repair or inspection is next, who will arrange it, and by when?
- Let me explain back what I will do if the alarm sounds or the symptom returns.

Contact for routine follow-up: _____
Exact site address / access information: _____

Reference information

Sources (click titles in the PDF): USFA - RV fire safety; CPSC - CO guidance; PERC - gas emergency; NHTSA - tire safety; Jayco 2026 Family Towable Manual, section 14 (example checklist only). Your exact model manuals govern the departure sequence.

RSQU RV

Found issues and customer follow-up

Use one entry for each issue. Continue on another copy if needed. No repair authorization is implied.

Customer: _____ **Date:** _____ **Work order:** _____
RV / affected equipment: _____

Safety first: Do not delay emergency action to finish this form or take a photo. Photos are optional and only from a safe location. Do not remove a tag, lock, warning or do-not-use restriction.

Issue 1

Location / symptom observed: _____
When it happens / conditions: _____

☐ Concern found ☐ Not checked / unsure ☐ Existing restriction

Technician recommendation / exact use restriction: _____
_____
Next action / owner / target date: _____

Issue 2

Location / symptom observed: _____
When it happens / conditions: _____

☐ Concern found ☐ Not checked / unsure ☐ Existing restriction

Technician recommendation / exact use restriction: _____
_____
Next action / owner / target date: _____

Issue 3

Location / symptom observed: _____
When it happens / conditions: _____

☐ Concern found ☐ Not checked / unsure ☐ Existing restriction

Technician recommendation / exact use restriction: _____
_____
Next action / owner / target date: _____

Close the conversation

Review every unfinished check: List what could not be seen/tested and what happens next.
Customer can explain the restrictions and emergency response: Yes / Needs clarification
Discussed with / date / method: _____
Declined recommendation / follow-up: _____

Customer acknowledgement does not establish safe operation or clear an unsafe condition. Only the qualified service decision for the documented scope can change a restriction. Keep the technician service report with this page.